

Jewish person. Even the use of non-Jewish sperm and eggs is permitted but a boy born as a result would not be a Cohen or Levi and a girl born of egg donation cannot marry a Cohen.

But Jewish law and practice on the bearing of children is summed up by the Lubavitcher Rebbe, quoting the previous Rebbe as saying "a person should actually give up his or her whole existence in order to have children".

Prof Simon Fishel is founder and president of Care Fertility Group, carefertility.com Chana: 020 8201 5774 info@chana.org.uk, chana.org.uk Kivisi: 07964 058 160 or 0161 669 4629 info@kivisi.org

Rethink that acidic drink

ARLIER THIS year, the gov-ernment launched its Change4Life Sugar Smart campaign, ringing alarm bells by highlighting that most children are consuming three times the recommended daily amount of sugar, contributing to tooth decay and obesity.

Equally troubling but less well publicised is the growing problem of tooth wear among children. Erosive tooth wear is caused by consuming acidic food and beverages, including sugar-laden sports and fizzy drinks (sugar-free varieties also cause wear), fruit juices and smoothies.

Professor Andrew Eder, an expert in tooth wear and clinical director of the London Tooth Wear Centre, is keen to raise awareness of this issue.

He says: "The latest government statistics reveal that this is an increasing problem among children. In addition, with 35 per cent of 12-year-olds and 28 per cent of 15-year-olds too embarrassed to smile or laugh due to the condition of their teeth, tooth wear and decay have the potential to affect self-esteem for life.

'The signs of tooth erosion include teeth that are short and unattractive, as well as having rough surfaces, plus tooth sensitivity when in contact with

Tooth wear caused by an acidic diet and tooth grinding in a 37-year-old

hot, cold or sweet items. If left untreated, many children's teeth may well require extensive restorative treatment as they approach adulthood."

However, says Professor Eder, there are some simple steps that can be incorporated into your child's everyday routine to help minimse tooth wear, including this advice:

• Limit the consumption of fruits, fruit juices and fizzy drinks, preferably to meal times.

• Drink still water or low-fat milk between meals.

• Use a straw for fizzy drinks and fruit

juices and avoid holding these liquids in the mouth or swishing them around. After having such drinks, wait an hour before brushing teeth.

Choose a soft, child-friendly toothbrush with a small head.

Use a non-abrasive toothpaste that contains a level of fluoride suitable for the child's age.

If you are worried about tooth wear (your own or your children's), tell your dentist; he or she is there to help

toothwear.co.uk



Can't bare your legs?

The details:

Open evening: Wednesday 13 April

From: 6-8pm

At: 52 Moxon Street, Barnet, EN5 5TS

or visit her facebook page Claire Judge Sclerotherapy

If you are embarrassed by unsightly veins on your legs, you may want to consider Sclerotherapy treatment. Sclerotherapy is a safe, pain free and well established treatment for thread veins on the legs.

The Royal Free London Private Patients at Hadley Wood Hospital is hosting an open evening where guests can observe a demonstration of Sclerotherapy treatment and have an opportunity to meet and discuss Sclerotherapy with our Clinical Nurse Specialist, Claire Judge.

